



YXZ1000R/SS Fox Shocks Compression Adjustment Cap Installation Instructions

Years: 2016-Present



Parts List

(6) Compression Adjustment Nut Caps



Installation Instructions

1. Ensure the compression adjustment nuts are clean prior to installation of the caps. It's recommended to remove any large debris and then wipe the adjusters clean. Any layer or dirt will affect the fit of the caps.



Thoroughly Clean
Adjustment Nut!

2. Install the caps by aligning them and pressing on by hand. The caps are manufactured with a precision fit and should be a slight tight fit on the compression nut.
 - a. **TIP: If a cap feels too tight or too loose on a specific adjustment nut, try using it on another. Slight tolerance differences can cause slightly different fits on each compression nut.**

3. Your Solex compression adjustment caps are now installed.



If you have any questions, please reach out to
solex.enterprises24@gmail.com

These instructions are not for redistribution or copy unless otherwise approved by Solex Enterprises LLC.

Disclaimer

By purchasing, installing, or using any product from Solex Offroad, the customer acknowledges and accepts full responsibility for any risks associated with its use. Solex Offroad and Solex Enterprises LLC are not liable for any damages, injuries, accidents, losses, or deaths that may result from the installation, use, or misuse of its products. Offroad powersports is an inherently dangerous activity that involves significant risks, including but not limited to collisions, rollovers, mechanical failures, unpredictable terrain conditions, and operator error. The purchaser assumes all risks and responsibilities associated with operating a vehicle equipped with Solex Offroad products.

All products must be installed correctly and inspected regularly to ensure proper function and safety. Installation should be performed by a qualified professional or an individual with adequate mechanical knowledge. Solex Offroad products are sold with a limited warranty covering defects in materials and workmanship for a period of 1 year from the date of purchase. This warranty does not cover damages resulting from improper installation, modification, normal wear and tear, or use in extreme conditions.

By purchasing and using Solex Offroad products, the customer expressly waives any claims against Solex Offroad and Solex Enterprises LLC, their owners, employees, affiliates, and distributors for any liability, injury, or loss incurred. If you have any questions about product safety, installation, or usage, please contact Solex Offroad before proceeding.